

Package: gantrify (via r-universe)

November 5, 2024

Title Create beautiful Gantt charts with ggplot2

Version 0.0.1.9005

Description 'gantrify' facilitates the creation of nice-looking Gantt charts, commonly used in project proposals and project management.

License GPL (>= 3)

Encoding UTF-8

LazyData true

RoxygenNote 7.3.1

Imports magrittr, tibble, dplyr, ggplot2, zoo, wesanderson, lubridate, tidyr, ggtext, cli, rlang

URL <https://github.com/giocomai/gantrify>

BugReports <https://github.com/giocomai/gantrify/issues>

Language en-US

Suggests extrafont, testthat (>= 3.0.0)

Depends R (>= 2.10)

Config/testthat/edition 3

Config/pak/sysreqs libicu-dev libjpeg-dev libpng-dev libxml2-dev libssl-dev

Repository <https://giocomai.r-universe.dev>

RemoteUrl <https://github.com/giocomai/gantrify>

RemoteRef HEAD

RemoteSha e26cccafe851a106ebcfa167d1db734875d11c8c

Contents

gantrify	2
gantt_verify	5

Index	6
--------------	----------

Description

Creates Gantt charts with ggplot2.

Usage

```
gantrify(  
  project,  
  spots = NULL,  
  by_date = FALSE,  
  exact_date = FALSE,  
  project_start_date = Sys.Date(),  
  colour_palette = wesanderson::wes_palette("Darjeeling1"),  
  font_family = "sans",  
  mark_quarters = FALSE,  
  mark_years = FALSE,  
  size_wp = 6,  
  hide_wp = FALSE,  
  hide_activities = FALSE,  
  wp_label_bold = TRUE,  
  size_activity = 4,  
  size_text_relative = 1,  
  label_wrap = FALSE,  
  month_number_label = TRUE,  
  month_label_string = "M",  
  month_date_label = TRUE,  
  x_axis_position = "top",  
  colour_stripe = "lightgray",  
  alpha_wp = 1,  
  alpha_activity = 1,  
  line_end = NULL,  
  line_end_wp = "round",  
  line_end_activity = "butt",  
  spot_padding = ggplot2::unit(0.2, "lines"),  
  spot_fill = ggplot2::alpha(c("white"), 1),  
  spot_text_colour = "gray20",  
  spot_size_text_relative = 1,  
  spot_fontface = "bold",  
  spot_border = 0.25,  
  month_breaks = 1,  
  show_vertical_lines = TRUE,  
  axis_text_align = "right"  
)
```

Arguments

project	A data frame. See ‘gantrify::test_project’ for an example.
spots	A data frame. See ‘gantrify::test_spots’ for an example.
by_date	Logical, defaults to FALSE. If FALSE, the the start and end columns in the data frame should correspond to month numbers from the beginning of the project. If TRUE, dates in the format ("2020-10" or "2020-10-01") should be given.
exact_date	Logical, defaults to FALSE. If FALSE, then periods are always understood to include full months. If FALSE, then exact dates can be given.
project_start_date	The date when the project starts. It can be a date, or a string in the format "2020-03" or "2020-03-01". Ignored if ‘month_number_date’ is set to FALSE.
colour_palette	A character vector of colours or a colour palette. If necessary, colours are recycled as needed. Defaults to ‘wesanderson::wes_palette("Darjeeling1")’. For more palettes, consider also the ‘MetBrewer’ package, e.g. ‘colour_palette = MetBrewer::met.brewer("Lakota")’. Colours can be passed as a vector of hex codes (e.g. ‘colour_palette = c("#6ACCEA", "#00FFB8", "#B90000", "#6C919C")’)
font_family	A character vector of length 1, defaults to "sans". It is recommended to use a narrow/condensed font such as Roboto Condensed for more efficient use of text space.
mark_quarters	Logical, defaults to FALSE. If TRUE, vertical lines are added in correspondence of change of quarter (end of March, end of June, end of September, end of December).
mark_years	Logical, defaults to FALSE. If TRUE, vertical lines are added in correspondence of change of year (1 January).
size_wp	Numeric, defaults to 6. It defines the thickness of the line used to represent WPs.
hide_wp	Logical, defaults to FALSE. If TRUE, the lines of the WP are hidden and only activities are shown.
hide_activities	Logical, defaults to FALSE. If TRUE, the lines of activities are hidden and only activities are shown.
wp_label_bold	Logical, defaults to TRUE. If TRUE, the label for working packages is set to bold face, while activities remain plain. Set to FALSE to keep have all labels in plain face or for further customisation (‘gantrify’ offers basic markdown support).
size_activity	Numeric, defaults to 4. It defines the thickness of the line used to represent activities.
size_text_relative	Numeric, defaults to 1. Changes the size of all textual elements relative to their default size. If you set this to e.g. 1.5 all text elements will be 50% bigger.
label_wrap	Defaults to FALSE. If given, must be numeric, referring to the number of characters per line allowed in the labels of projects and activities, or logical (if set to TRUE, it will default to 32). To be used when labels would otherwise be excessively long.
month_number_label	Logical, defaults to TRUE. If TRUE, it includes month numbering on x axis.

month_label_string	Defaults to "M", relevant only if 'month_number_label' is set to TRUE. String that precedes the month number: e.g. if set to "M", then months are labeled as "M1", "M2", etc.
month_date_label	Logical, defaults to TRUE. If TRUE, it includes month names and dates on the x axis.
x_axis_position	Logical, defaults to "top". Can also be "bottom". Used only when only one of 'month_number_label' and 'month_date_label' is TRUE, otherwise ignored.
colour_stripe	Character, defaults to "lightgray". This is the stripe colour in the background used in alternate months.
alpha_wp	Numeric, defaults to 1. Controls transparency of the line used to represent WPs.
alpha_activity	Numeric, defaults to 1. Controls transparency of the line used to represent activities.
line_end	Character, defaults to NULL. If given, takes precedence over 'line_end_wp' and 'line_end_activity' and applies the value to both. One of "round", "butt", "square". Controls line ends.
line_end_wp	Character, defaults to "round". One of "round", "butt", "square". Controls line ends.
line_end_activity	Character, defaults to "butt". One of "round", "butt", "square". Controls line ends.
spot_padding	Unit, defaults to 'ggplot2::unit(0.2, "lines)'. If you use spot events, this is the padding around the text. Smaller value are best for busy gantt charts; if you have lots of space or use larger font sizes you may want to increase this value.
spot_fill	Defaults to 'ggplot2::alpha(c("white"), 1)'. This is the background fill colour of spot events. By default, it is set to solid white. If you want to add some transparency to enable visual continuity of the underlying lines, adjust the transparency value to your taste adapting the function used by default.
spot_text_colour	Defaults to "grey20", for a dark but not quite black text.
spot_size_text_relative	Defaults to 1. This is combined with 'size_text_relative'.
spot_fontface	Defaults to "bold". Available values are "plain", "bold", "italic" and "bold.italic".
spot_border	Defaults to 0.25. Internally passed as 'label.size' to 'geom_label()'. Set to 0 or NA to remove the border.
month_breaks	Numeric, defaults to 1. It defines if labels for all months are shown or only once every x months. Useful for longer projects.
show_vertical_lines	Logical, defaults to TRUE. If set to FALSE, it hides the thin vertical lines corresponding to month numbers. Useful in particular for longer projects.
axis_text_align	Character, defaults to "right". Defines alignment of text on the y-axis is left. Accepted values are "left", "right", "centre", or "center".

Value

A Gantt chart as a ggplot2 object.

Examples

```
ganttrify(ganttrify::test_project)
```

gantt_verify

Check the consistency of the input project data frame

Description

Check the consistency of the input project data frame, return meaningful errors or warnings if something is not quite right

Usage

```
gantt_verify(project, by_date = FALSE, exact_date = FALSE)
```

Arguments

project	A data frame. See 'ganttrify::test_project' for an example.
by_date	Logical, defaults to FALSE. If FALSE, the the start and end columns in the data frame should correspond to month numbers from the beginning of the project. If TRUE, dates in the format ("2020-10" or "2020-10-01") should be given.
exact_date	Logical, defaults to FALSE. If FALSE, then periods are always understood to include full months. If TRUE, then exact dates can be given.

Value

A data frame (a tibble) that is consistent with the format expected by [ganttrify()].

Examples

```
gantt_verify(project = ganttrify::test_project)
```

Index

gantt_verify, 5
gantrify, 2